Climate Change and Environmental Justice




Rachel Morello-Frosch
University of California, Berkeley
School of Public Health &
Department of Environmental Science, Policy and Management

California Climate Change Research Symposium September 10, 2009

Why Climate Justice?


- Sustainability, human rights, public health, and social equity.
 - Primary focus has been on developed vs. developing country disparities
 - Increasing focus on disparities within industrialized countries
- Impacts and Mitigations
 - Different health, social and economic consequences for diverse communities.




The Climate Gap: People of color and the poor will...

- Suffer higher mortality and health impacts
 - More frequent and intense heat waves
- Be exposed to higher air pollution levels
 - Unequal patterns of pollution exposure and health inequality could worsen
- See the "spending gap" widen
 - Pay a greater cost for basic necessities
- Experience reduced economic opportunities
 - Shifting job opportunities, greater job losses

EXTREME WEATHER





From: Spatial patterns of natural hazards mortality in the United States; Borden KA, Cutter SL *International Journal of Health Geographics* 2008, 7:64 (17 December 2008)

Disparate Impact of Climate Change

Heat-related

Mortality







Disparate Impact of Heat-Related Mortality by Race/Ethnicity— California, 1999-2003




FIGURE 3. Estimated percent change associated with a 10°F (4.7°C) increase in mean daily apparent temperature and nonaccidental mortality by race/ethnic group in nine counties, California, May through September, 1999–2003. Cl, confidence interval.

Basu R, Ostro BD (2008) A Multicounty Analysis Identifying the Populations Vulnerable to Mortality Associated with High Ambient Temperature in California, AJE 168(6): 632-637.

Low SES Amplifies Heat/Mortality Relationship— 7 U.S. Cities




FIGURE 2. Combined estimates of excess mortality at 29°C (lag 0) compared with mortality at 15°C and 95% confidence intervals from a random-effects model for all seven US study cities, 1986–1993 (1990–1993 for education strata). Model covariates include particulate matter less than 10 μm in aerodynamic diameter, barometric pressure, day of the week, day of study, and apparent temperature average of lags 1, 2, and 3.

O'Neill, MS, Zanobetti A, Schwartz, J (2003) Modifiers of the Temperature and Mortality Association in Seven US Cities. AJE 157:1074–1082

Air Conditioning Prevalence, Mortality and Race—4 U.S. Cities





FIGURE. Coefficients for the relative risk of mortality on days at 29 °C apparent temperature compared with days at 15 °C, by prevalence of central air conditioning (AC), race, and city. ▲, Whites (and Whites/Others, for AC prevalence); ■, Blacks. Coefficients are from Poisson regression models with covariates including barometric pressure, PM₁₀, time trend, day of week, and apparent temperature averaged over lags 1, 2, and 3 (heat effect is expressed for apparent temperature lag 0). Data cover the period 1986–1993.

Equity, Adaptation Capacity, and the Built Environment



Photo: Climate Change Public Health Impacts Assessment and Response Collaborative California Department of Public Health and the Public Health Institute

Future temperature increases and percent people of color and in poverty*



[•]Average summer temperature increase for June, July, and August compared to 1990–1999 average for high-emissions scenario and end of the century. Also shown: percentage persons of color (left), and percentage of population living below the federal poverty level (right)

•Adapted from: (Hayhoe, Cayan et al. 2004; UCSB 2005); Cited From: Redefining Progress (2006)

Heat Island Effects





Figure 2.4: Temperature profile of an urban heat island.

(http://www.epa.gov/globalwarming/greenhouse/greenhouse14/reduction.html)


Impervious Surfaces in CA



Climate Change Public Health Impacts Assessment and Response Collaborative California Department of Public Health and the Public Health Institute


Equity, Adaptation Capacity, and the Built Environment

land cover characteristics across comparable neighborhood poverty groups




Equity, Adaptation Capacity, and the Built Environment

land cover characteristics across comparable neighborhood racial/ethnic minority groups



impervious surface by race/ethnicity and residential racial segregation



CBSA (metropolitan area) segregation, multigroup dissimilarity index

Transportation Justice: Proportion of households with no vehicle by race/ethnicity,

Los Angeles County

% of households with no vehicle Race/Ethnicity White 7.9% Hispanic or Latino (of any race) 17.1% Black or African American 20.0% American Indian and Alaska **Native** 16.0% Asian 9.8% **Total Population** 12.6%

Adapted From: Census 2000 Summary File 4 (SF 4) - Sample Data Racial categories are for non-Hispanics only


- •Higher proportions of African American, Latino, and Asian households do not have access to a car, compared to Whites;
- Restricts capacity to move to cooler areas during extreme heat events

Economic Impacts






Share of US Household Income Spent on Energy, 2004




Consumer Federation of America, Consumers Union, *Rising Energy Prices Strain Household Budgets and the Economy, for Most Americans*, September 2004 (Cited in Dutzik, Sargent, et al. (2007)).

Fewer Jobs?



Workforce Impacts in California

Demographics of Workers in Non-Heavy Emitting Industries vs. Heavy Emitting Industries (2005/2006)




Climate Justice Benefits of GHG Reductions




- Communities of color and the poor could directly benefit from greenhouse gas reduction strategies
 - indirect reduction in air toxics, NOx, PM, and other pollutants.
- Many targeted GHG emission sources disproportionately affect low income communities of color
 - Mobile source emissions (Morello-Frosch et al. 2006)
 - Stationary sources (Morello-Frosch et at. 2001, Pastor, Sadd et a. 2003)

Estimated cancer risk associated with ambient air toxics by race/ethnicity and racial/ethnic residential segregation, continental United States metropolitan areas



(Morello-Frosch & Jesdale 2006)

California



Source: Updated Macroeconomic Analysis of Climate Strategies Presented in the March 2006 CAT Report, Final Report, October 2007; CARB, Expanded list of EAMs, October 2007; and NRDC and other Recommendations for Policies to Reduce Global Warming Pollution for the AB 32 Scoping Plan, October 1, 2007 (Cited in NRDC 2008).


Annual Per Capita PM10 Emissions (Tons) From Facilities Within 2.5 Miles California 12.00 Power plant 10.00 ■ Petroleum refinery Annua Per Capital Emissions (Tons) ■ Cement plant 8.00 6.00 4.00 2.00 0.00

Non-Hispanic White

Gap

All People of Color

Identifying Climate Gap Neighborhoods



Work being conducted for California Air Resources Board (CARB)


Purpose of Climate Gap Screening

- Highlight areas of concern/opportunity in terms of:
 - Cumulative impacts from major emission sources
 - Community adaptation capacity
 - Economic and social vulnerability
- Apply screening for:
 - Land use planning
 - Regulatory decision-making and enhanced enforcement of mitigation efforts
 - Community outreach and engagement



What Is To Be Done?

Four Policy/Regulatory Principles



- Take into account cumulative impacts consider existing disparities in pollution exposures/risk in GHG regulatory programs
 - Screen for climate gap neighborhoods
- Promote community participation Achieving GHG reductions and co-pollutant benefits makes community engagement essential
- Incorporate public health and EJ into climate policy objectives
 - Health Impacts Assessment



Thank you

- Collaborators:
 - James Sadd, Occidental College
 - Manuel Pastor, University of Southern California
 - Seth Shonkoff, UC Berkeley
- Funders:
 - CARB
 - ♦ CEC
 - Cal-EPA
 - Hewlett Foundation

rmf@nature.berkeley.edu